

Cryptography, exercise sheet 1 for 05 Sep 2023

These are the exercises for the instruction session. These are not for homework.

In particular for the first few exercises you should work in a small team of 2 people, 3 can work as well. For the other exercises go for your preferred group size.

Your TA will explain the perfect-code system in the first 5 - 10 min, for the rest of the time you can work on your own and call your TA over when you have a question or to check your solution.

1. Exercises regarding the perfect-code system and general understanding of the concepts

- (a) Find a partner and execute the system so that each of you generates a keypair, gives the public key to the other person, encrypts a number to the other person's key, and finally decrypts their received message.

Note: Keep the numbers small to avoid making mistakes. Eight nodes is enough, but you can make this harder for yourself.

- (b) Show that the public key is indeed a perfect code, i.e., show that there exists a selection of nodes so that each node is in the neighborhood of exactly one selected node (a selected node is in its own neighborhood).

- (c) Show why this system works, i.e., why the decryption returns the plaintext.

- (d) Break the examples, e.g. get a ciphertext and public key from some other group. Can you scale your attack to work for graphs with 1000 nodes?

Note: There are different notions of breaking – complete breaks recover the private key from the public key, but a system is also broken if you can recover messages from ciphertexts.

2. Exercises regarding clock Diffie-Hellman

- (a) $(2, -2)$ is a point on the clock modulo 7. Compute $5(2, -2)$. Remember the double-and-add method and also what you know about orders of points.

- (b) Prove that for (x_1, y_1) and (x_2, y_2) on the circle $x^2 + y^2 = 1$ also their sum $(x_1, y_1) + (x_2, y_2) = (x_1y_2 + y_1x_2, y_1y_2 - x_1x_2)$ is on the circle.

- (c) Doubling is a special case of addition. Squarings are typically faster than multiplications. Show how to compute $2((x_1, y_1))$ using only squarings (next to additions and subtractions).

- (d) The clock addition formula $(x_1y_2 + y_1x_2, y_1y_2 - x_1x_2)$ can be computed in 4 multiplication. Figure out how to do it with 3.